

Attachment

Main Features and Specifications of 702i Series

SH702iD

1. Smallest, lightest FOMA model (as of Jan. 17, 2006): Simple design and slim body with round buttons.
2. Screen design/fonts coordinated with body design: Menus, etc. use original fonts.
3. Live illumi™: Lights (8 colors, 8 patterns, 3 modes) quickly identify handset status, such as incoming/making calls, music playback, etc.
4. SD-Audio: Music player starts/operates with side keys with handset closed. Music can be played while using mail or i-mode. Simplified track searching.
5. Activemarker™: Recently used features/files are easily accessed from icons on standby screen.

Height x Width x Thickness	94 x 45 x 19.9 mm
Weight	Approx. 89 grams
Continuous Stand-by Time	Approx. 420 hours (static) , approx. 330 hours (dynamic)
Continuous Talk Time	Approx. 130 minutes
Continuous Video Calling Time	Approx. 80 minutes
Main Display	Approx. 2.0 inches (240 dots x 320 dots); QVGA CG Silicon LCD ; 262,144 colors
Sub Display	N/A
External Memory Device	miniSD™ memory card (optional)
Cameras	Outer: CMOS camera Effective resolution: 1.31 mega pixels Recorded resolution: 1.23 mega pixels Inner: CMOS camera Effective resolution: 110,000 pixels Recorded resolution: 100,000 pixels
Colors	Piano Black, Natural White, British Green

Specifications are subject to change.

Height and thickness refer to the handset when closed.

Live illumi and Activemarker are trademarks of Sharp Corporation.

miniSD is the trademark of the SD Association.

N702iD

1. Flat, square form: Flat surface and long, narrow LCD for easy viewing of i-channel, etc.
2. Color coordination: Preinstalled menus, etc. are coordinated with the four body colors. Also has unique “Disney mode” fonts.
3. Powerful illumination: Organic electroluminescent (EL) sub-display and non-organic EL backlighting for keypad.
4. Full-feature music player: Displays track/artist via unique interface on elongated, easy-to-view rear screen.
5. Auto-Select Deco-mail[®]: Text-only mail can be decorated with Deco-mail templates, etc. with one button. Also has emoticons for mail.
6. Easy to lock: PIM lock can be set/canceled simply by holding down the number 3 key.

Height x Width x Thickness	98 x 48 x 18.7 mm
Weight	Approx. 112 grams
Continuous Stand-by Time	Approx. 560 hours (static), approx. 400 hours (dynamic)
Continuous Talk Time	Approx. 140 minutes
Continuous Video Calling Time	Approx. 90 minutes
Main Display	2.3 inches (240 x 345 dots); QVGA+™ TFT LCD; 65,536 colors
Sub Display	2.1 inches (300 x 30 dots)
External Memory Device	miniSD memory card (optional)
Cameras	Outer: ν Maicovicon [®] camera Effective resolution: 1.25 mega pixels Recorded resolution: 1.23 mega pixels Inner: CMOS camera Effective resolution: 110,000 pixels Recorded resolution: 100,000 pixels
Colors	RED, BLACK, SILVER, WHITE

Specifications are subject to change.

Height and thickness refer to the handset when closed.

Deco-mail is a registered trademark of NTT DoCoMo, Inc. in Japan or other countries.

Deco-mail is only available to subscribers in Japan.

QVGA+ is a trademark or a registered trademark of NEC Corporation.

ν Maicovicon is a registered trademark of Matsushita Electric Co., Ltd.

F702iD

1. Curved shape is easy to hold and “Double Illumination” provides subtly sophisticated electroluminescent backlighting .
2. Color coordination: Standby screen patterns and colors are coordinated with each of the four body colors.
3. First 70x series phone equipped for “Osaiifu Keitai” wallet service and compatible with ToruCa™ and Mobile Suica Service The handset is preinstalled with iD™ credit-card application, and the user’s fingerprint can be used to lock the handset. The IC card can be automatically unlocked (a DoCoMo first), as well as locked, at specified times to control access to the phone’s Osaiifu-Keitai wallet functions.
4. USB cable bundled: When the handset is connected to a PC, phone numbers and pictures stored in the phone are backup up automatically.
5. First handset to enable silent mode to be set to turn on/off automatically at specific times of the day, according to the user’s daily schedule.
6. First 70x handset to handle PDF files downloaded from i-mode sites and larger i-appli files of up to 500KB.
7. Convenient mail features: Automatic Send delivers mail once handset moves from non-service to service area, and Quick Reply minimizes the number of steps required to send a mail fast.

Height x Width x Thickness	98 x 51 x 31 mm (17 mm at thinnest part)
Weight	Approx. 114 grams
Continuous Stand-by Time	Approx. 430 hours (static), approx. 300 hours (dynamic)
Continuous Talk Time	Approx. 140 minutes
Continuous Video Calling Time	Approx. 80 minutes
Main Display	Approx. 2.2 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	N/A
External Memory Device	N/A
Cameras	Outer: CMOS camera Effective resolution: 1.28 mega pixels Recorded resolution: 1.23 mega pixels Inner: CMOS camera Effective resolution: 110,000 pixels Recorded resolution: 100,000 pixels
Colors	Gold, Cherry Pink, Snow White, Gloss Black

Specifications are subject to change.

Height and thickness refer to the handset when closed.

i-mode, Osaiifu-Keitai, ToruCa and iD are trademarks or registered trademarks of NTT DoCoMo, Inc. in Japan or other countries.

Osaiifu-Keitai, ToruCa and iD services are only available to subscribers in Japan.

Mobile Suica Service is a registered trademark of East Japan Railway Company.

D702i

1. Simple, straight design: “BLUE-KEY ILLUMINATION” enhances visibility and style. Standby screen menus, etc. are coordinated with different body designs and colors.
2. First DoCoMo model with timed key-lock: To avoid unintended operation, keys can be locked automatically if unused for a certain time or at a specified time.
3. Convenient mail: Automatic send delivers mail once handset moves from non-service to service area, quick reply and ATOK + APOT (character conversion software).
4. Easy-to-read text: 24-dot for mail and 28-dot for incoming call log.

Height x Width x Thickness	130 x 47 x 16.7 mm
Weight	Approx. 100 grams
Continuous Stand-by Time	Approx. 520 hours (static) , approx. 360 hours (dynamic)
Continuous Talk Time	Approx. 155 minutes
Continuous Video Calling Time	Approx. 94 minutes
Main Display	Approx. 2.0 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	N/A
External Memory Device	N/A
Cameras	Outer: CMOS camera Effective resolution: 1.31 mega pixels Recorded resolution: 1.31 mega pixels Inner: CMOS camera Effective resolution: 100,000 pixels Recorded resolution: 100,000 pixels
Colors	SHINY WHITE, METAL BLACK, SPARKLE BLUE

Specifications are subject to change.

ATOK and APOT (Advanced Prediction Optimization Technology) are registered trademarks of Justsystem Corporation.

P702i

1. Easy mode: Default functions can be preset for easy three-level access, and screens can be simplified to eliminate scrolling.
2. Easy operation: One button both answers incoming calls and immediately displays received mail when the phone is opened up.
3. PushTalk™: First 70x model equipped for PushTalk walkie-talkie communication.
4. SD Jukebox easily stores music tracks on miniSD memory card. Music can be played while using mail or i-mode.
5. Chaku-Uta® ring tunes, Chaku-motion™ ring videos and large i-appli files can be saved on miniSD memory card, as well as internal memory.

Height x Width x Thickness	102 x 49 x 22 mm
Weight	Approx. 98 grams
Continuous Stand-by Time	Approx. 500 hours (static) , approx. 350 hours (dynamic)
Continuous Talk Time	150 minutes
Continuous Video Calling Time	100 minutes
Main Display	Approx. 2.2 inches (240 dots x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	0.9 inch (96 dots x 25 dots)
External Memory Device	miniSD memory card (optional)
Cameras	Outer: ν Maicovicon camera Effective resolution: 1.25 mega pixels Recorded resolution: 1.23 mega pixels Inner: CMOS camera Effective resolution: 110,000 pixels Recorded resolution: 100,000 pixels
Colors	Silver, Bitter, Pink

Specifications are subject to change.

Height and thickness refer to the handset when closed.

PushTalk and Chaku-Motion are trademarks or registered trademarks of NTT DoCoMo, Inc. in Japan.

PushTalk is only available to subscribers in Japan.

Chaku-Uta is a registered trademark of Sony Music Entertainment Inc.