

Selected Features and Specifications: docomo Smartphone

(Subject to change)

Model		G2 L-01F	GALAXY Note 3 SC-01F	Xperia™ Z1 SO-01F	ARROWS NX F-01F
Launch		October 11	October 17	October 24 (scheduled)	October 24 (scheduled)
Main Display		5.2 inches (1,080 x 1,920 pixels) Full HD; IPS TFT LCD 16,770,000 colors	5.7 inches (1,080 x 1,920 pixels) Full HD; Super AMOLED Organic EL 16,770,000 colors	5.0 inches (1,080 x 1,920 pixels) Full HD; TRILUMINOS® Display for mobile TFT LCD 16,770,000 colors	5.0 inches (1,080 x 1,920 pixels) Full HD; WhiteMagic™ TFT LCD 16,770,000 colors
OS		Android™ 4.2	Android 4.3	Android 4.2	Android 4.2
CPU		MSM8974 2.3 GHz Quad Core	MSM8974 2.3 GHz Quad Core	MSM8974 2.2 GHz Quad Core	MSM8974 2.2 GHz Quad Core
Battery		2,900mAh	3,200mAh	3,000mAh	3,200mAh
Xi™ LTE service (downlink / uplink)		112.5Mbps / 37.5Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps
NFC		✓ (FeliCa®, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)
Wi-Fi® (11a / b / g / n / ac) (Wi-Fi tethering)		✓ (11a / b / g / n / ac) (up to 8 devices)	✓ (11a / b / g / n / ac) (up to 10 devices)	✓ (11a / b / g / n / ac) (up to 16 devices)	✓ (11a / b / g / n / ac) (up to 10 devices)
Cameras	Outer (Effective resolution / Recorded resolution)	BSI CMOS (13.2 megapixels / 13.0 megapixels)	BSI CMOS (13.2 megapixels / 12.6 megapixels)	BSI CMOS (20.7 megapixels / 20.7 megapixels)	BSI CMOS (13.1 megapixels / 13.0 megapixels)
	Inner (Effective resolution / Recorded resolution)	BSI CMOS (2.4 megapixels / 2.1 megapixels)	CMOS (2.1 megapixels / 2.07 megapixels)	BSI CMOS (2.2 megapixels / 2.1 megapixels)	BSI CMOS (1.3 megapixels / 1.2 megapixels)
Waterproof / Dustproof		- / -	- / -	✓ / ✓ (IPX5, 8 / IP5X)	✓ / - (IPX5, 8 / -)
One-Seg / Full Seg Terrestrial Digital Broadcasting		✓ / -	✓ / -	✓ / ✓	✓ / ✓
V-High Multimedia Broadcasting Services (NOTTV™)		-	✓	✓	✓
Manufacturer		LG Electronics Japan, Inc.	Samsung Electronics Co., Ltd.	Sony Mobile Communications	Fujitsu Limited

1 "docomo mini UIM card" Ver.5 required for mobile payment services.

Selected Features and Specifications: docomo Smartphone (continued)

(Subject to change)

Model	GALAXY J SC-02F	AQUOS PHONE ZETA SH-01F / SH-01F DRAGON QUEST	Disney Mobile on docomo F-03F	Xperia™ Z1 f SO-02F	AQUOS PHONE EX SH-02F	
Launch	End of October	Beginning of November / Beginning of December	Middle of December	End of December	January	
Main Display	5.0 inches (1,080 x 1,920 pixels) Full HD; Super AMOLED Organic EL 16,770,000 colors	5.0 inches (1,080 x 1,920 pixels) Full HD; IGZO TFT LCD 16,770,000 colors	4.7 inches (720 x 1,280 pixels) HD Organic EL 16,770,000 colors	4.3 inches (720 x 1,280 pixels) HD; TRILUMINOS® Display for mobile TFT LCD 16,770,000 colors	4.5 inches (1,080 x 1,920 pixels) Full HD; IGZO TFT LCD 16,770,000 colors	
OS	Android 4.3	Android 4.2	Android 4.2	Android 4.2	Android 4.2	
CPU	MSM8974 2.3 GHz Quad Core	MSM8974 2.2 GHz Quad Core	MSM8974 2.2 GHz Quad Core	MSM8974 2.2 GHz Quad Core	MSM8974 2.2 GHz Quad Core	
Battery	2,600mAh	3,000mAh	2,600mAh	2,300mAh	2,120mAh	
Xi LTE Service (downlink / uplink)	150Mbps / 50Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps	
NFC	✓ (FeliCa, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)	✓ (FeliCa, Type A/B ¹)	
Wi-Fi (11a / b / g / n / ac) (Wi-Fi tethering)	✓ (11a / b / g / n / ac) (up to 10 devices)	✓ (11a / b / g / n / ac) (up to 10 devices)	✓ (11a / b / g / n / ac) (up to 10 devices)	✓ (11a / b / g / n / ac) (up to 16 devices)	✓ (11a / b / g / n / ac) (up to 10 devices)	
Cameras	Outer (Effective resolution / Recorded resolution)	BSI CMOS (13.2 megapixels / 12.6 megapixels)	BSI CMOS (16.3 megapixels / 15.9 megapixels)	BSI CMOS (13.1 megapixels / 13.0 megapixels)	BSI CMOS (20.7 megapixels / 20.7 megapixels)	BSI CMOS (13.1 megapixels / 12.8 megapixels)
	Inner (Effective resolution / Recorded resolution)	BSI CMOS (2.1 megapixels / 2.07 megapixels)	BSI CMOS (2.1 megapixels / 2.1 megapixels)	BSI CMOS (1.3 megapixels / 1.2 megapixels)	BSI CMOS (2.2 megapixels / 2.1 megapixels)	BSI CMOS (1.2 megapixels / 1.2 megapixels)
Waterproof / Dustproof	- / -	✓ / - (IPX5, 7 / -)	✓ / - (IPX5, 8 / -)	✓ / ✓ (IPX5, 8 / IP5X)	✓ / - (IPX5, 7 / -)	
One-Seg / Full-Seg Terrestrial Digital Broadcasting	✓ / -	✓ / ✓	✓ / -	✓ / -	✓ / -	
V-High Multimedia Broadcasting Services (NOTTV)	✓	✓	-	-	-	
Manufacturer	Samsung Electronics Co., Ltd.	Sharp Corporation	Fujitsu Limited	Sony Mobile Communications	Sharp Corporation	

¹ "docomo mini UIM card" Ver.5 required for mobile payment services.

Selected Features and Specifications: docomo Tablet

(Subject to change)

Model	ARROWS Tab F-02F	
Launch	Beginning of December	
Main Display	10.1 inches (2,560 x 1,600 pixels) WQXGA TFT LCD 16,770,000 colors	
OS	Android 4.2	
CPU	MSM8974 2.2 GHz Quad Core	
Battery	9,600mAh	
Xi LTE Service (downlink / uplink)	150Mbps / 50Mbps	
NFC	✓ (Type A/B ¹)	
Wi-Fi (11a / b / g / n / ac) (Wi-Fi tethering)	✓ (11a / b / g / n / ac) (up to 10 devices)	
Cameras	Outer (Effective resolution / Recorded resolution)	BSI CMOS (8.1 megapixels / 8.0 megapixels)
	Inner (Effective resolution / Recorded resolution)	BSI CMOS (1.3 megapixels / 1.2 megapixels)
Waterproof / Dustproof	✓ / ✓ (IPX5, 8 / IP5X)	
One-Seg / Full-Seg Terrestrial Digital Broadcasting	✓ / ✓	
V-High Multimedia Broadcasting Services (NOTTV)	✓	
Manufacturer	Fujitsu Limited	

¹ Type A/B mobile payment services not available

Selected Features and Specifications: docomo Kids&Juniors

(Subject to change)

Model	Smartphone for Juniors2 SH-03F	
Launch	February	
Main Display	4.1 inches (540 x 960 pixels) QHD CG Silicon LCD 16,770,000 colors	
OS	Android 4.0	
CPU	MSM8960 1.5 GHz Dual Core	
Battery	1,660mAh	
Xi LTE Service (downlink / uplink)	75Mbps / 25Mbps	
NFC	✓ (FeliCa: Compatibility limited to selected Osaifu-Keitai™ services)	
Wi-Fi (11a / b / g / n / ac) (Wi-Fi tethering)	✓ (11 b / g / n) (-)	
Cameras	Outer (Effective resolution / Recorded resolution)	BSI CMOS (12.1 megapixels / 12.0 megapixels)
	Inner (Effective resolution / Recorded resolution)	BSI CMOS (0.32 megapixel / 0.31 megapixel)
Waterproof / Dustproof	✓ / ✓ (IPX5, 7 / IP5X)	
One-Seg / Full-Seg Terrestrial Digital Broadcasting	- / -	
V-High Multimedia Broadcasting Services (NOTTV)	-	
Manufacturer	Sharp Corporation	

Selected Features and Specifications: docomo Feature Phone

(Subject to change)

Model		P-01F	N-01F
Launch		Beginning of November	End of November
Main Display		3.4 inches (480 x 854 pixels) Full wide VGA; TFT LCD 260,000 colors	3.4 inches (480 x 854 pixels) Full wide VGA; TFT LCD 16,770,000 colors
Sub Display		0.9 inches (128 x 36 pixels) Organic EL one color	0.8 inches (96 x 35 pixels) Organic EL one color
Xi LTE Service		-	-
FOMA™ 3G service (HSDPA / HSUPA)		7.2Mbps / 2.0Mbps	7.2Mbps / 5.7Mbps
Battery		800mAh	1,010mAh
NFC		-	✓ (FeliCa)
Cameras	Outer (Effective resolution / Recorded resolution)	CMOS (5.1 megapixels / 5.0 megapixels)	CMOS (8.1 megapixels / 8.0 megapixels)
	Inner (Effective resolution / Recorded resolution)	-	-
Waterproof / Dustproof		✓ / ✓ (IPX5, 7 / IP5X)	✓ / ✓ (IPX5, 7 / IP5X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / -	✓ / -
Manufacturer		Panasonic Mobile Communications Co., Ltd.	NEC CASIO Mobile Communications, Ltd.

Selected Features and Specifications: Others (3 models)

(Subject to change)

Model	Photo Panel 06
Launch	Beginning of December
Height x Width x Thickness	157 x 243 x 25 mm
Weight	750 grams
Display	9.0 inches TFT LCD
Resolution	800 x 480 pixels, Wide VGA
File Formats (photos)	JPEG, BMP, GIF and PNG
File Formats (videos)	H.263, H.264 and MPEG-4
File Formats (music)	AAC, AACLC, HE-AAC, MP3, MIDI, AMR-NB, AMR-WB, PCM and Oggvorbis
Maximum Character Counts	Titles: 15 two-byte character Messages: 8 lines
Slideshows	13 patterns
Portrait/Landscape Auto-selection	✓
External Memory Devices	SD™ memory card (2GB) SDHC™ memory card (32GB)
Main Features	Area Mail™, video/music playback, illumination sensor, touch panel and Photo Collection
Manufacturer	TOSHIBA CORPORATION

Model	Wi-Fi STATION L-02F	Wi-Fi STATION HW-01F	
Launch	February	March	
Height x Width x Thickness	97 x 62 x 19.5 mm	57 x 90 x 13.5 mm	
Weight	154 grams	110 grams	
Network-sides	Xi LTE Service (downlink / uplink)	150Mbps / 50Mbps	150Mbps / 50Mbps
	FOMA 3G Service (HSDPA / HSUPA)	14Mbps / 5.7Mbps	14Mbps / 5.7Mbps
	Wireless LAN	11a/b/g/n/ac (2.4GHz, 5GHz)	11a/b/g/n (2.4GHz, 5GHz)
	Wired LAN	1000Base-T	-
Device-sides	Wireless LAN	11a/b/g/n/ac (2.4GHz, 5GHz)	11a/b/g/n (2.4GHz, 5GHz)
	Wired LAN	1000Base-T	-
Interface		microUSB	microUSB
Simultaneous Connection		Up to 10 devices	Up to 10 devices
Continuous Stand-by Time (static)		TBD	TBD
Continuous Connection Time		TBD	TBD
Manufacturer		LG Electronics Japan, Inc.	Huawei Technologies Co., Ltd.

All devices are under development, and the specifications are subject to change.
Xi LTE service and FOMA 3G service are provided on a best-effort basis. Speeds may vary depending on network traffic or transmission environments.
Xi, OsaiFu-Keitai, FOMA and Area Mail are trademarks or registered trademarks of NTT DOCOMO, INC. in Japan and/or other countries.
Xi, FOMA and Area Mail are only available to subscribers in Japan.
Wi-Fi is a registered trademark of the Wi-Fi Alliance.
NOTTV is a trademark of mmbi, Inc.
NOTTV is only available to subscribers in Japan.
Android is a trademark of Google Inc.

FeliCa is a registered trademark of Sony Corporation.
FeliCa is a contactless IC chip technology developed by Sony Corporation.
Xperia is a trademark or registered trademark of Sony Mobile Communications AB.
Triluminos is a registered trademark of Sony Corporation
AQUOS PHONE, ZETA and IGZO are trademarks or registered trademarks of Sharp Corporation
WhiteMagic is a registered trademark of Japan Display Inc.
SD and SDHC are trademarks of SD Association.
All other trademarks are the property of their respective owners.